

Luminaire Schedule				
Symbol	Qty	Label	Arrangement	
	2	F	SINGLE	3178 100
	2	G	SINGLE	7571 150.1
	2	H	SINGLE	6558 283



COOPER LIGHTING - LUMARK

DESCRIPTION
The Lumark fixture is the most versatile luminaire designed specifically for outdoor use. It is available in a wide range of sizes and finishes to suit a variety of applications. The Lumark is a high quality, durable, and reliable luminaire that is designed to provide long service life and low maintenance costs. It is available in a wide range of sizes and finishes to suit a variety of applications. The Lumark is a high quality, durable, and reliable luminaire that is designed to provide long service life and low maintenance costs.

Model	Label	Arrangement	Qty
BR-42-100-MP	F	SINGLE	2
MPR-SI-150/ 20' ARG	G	SINGLE	2
MPR-3S-150-MT-HS/ 20' ARG	H	SINGLE	2


CONSTRUCTION
The Lumark is constructed of die-cast aluminum and is available in a wide range of finishes. It is designed to provide long service life and low maintenance costs. The Lumark is a high quality, durable, and reliable luminaire that is designed to provide long service life and low maintenance costs.

INSTALLATION
The Lumark is designed to be installed in a variety of locations. It is available in a wide range of sizes and finishes to suit a variety of applications. The Lumark is a high quality, durable, and reliable luminaire that is designed to provide long service life and low maintenance costs.



EXFURES G & H

Lighting Notes:
1. ALL SITEWORK SHALL CONFORM TO CITY OF ROCHESTER STANDARDS AND LOCAL AUTHORITIES HAVING JURISDICTION.
2. ALL MATERIAL WORKMANSHIP SHALL CONFORM TO THE LATEST EDITIONS OF THE NATIONAL ELECTRIC CODE AND ALL OTHER APPLICABLE STATE AND LOCAL CODES.
3. ALL EXTERIOR CONDUITS FOR LIGHTING SHALL BE 2" DIAMETER PVC SCHEDULE 40. ALL ELBOWS SHALL BE GALVANIZED RIGID STEEL.
4. ALL CONDUITS UNDER ROADWAYS AND PARKING AREAS SHALL HAVE MINIMUM COVER OF THREE (3) FEET.
5. ALL UNDERGROUND CONDUITS WILL HAVE NTCN PULL ROPE TO FACILITATE PULLING IN CABLES.
6. ALL EXTERIOR CONDUITS SHALL BE PROVIDED WITH 6" WIDE METALIZED CONTINUOUS WARNING TAPE.
7. PROVIDE FUSING ON ALL LUMINAIRES. FUSES TO BE LOCATED AT POLE HANDHOLE.
8. GROUND ALL POLES. PROVIDE 3/4" X 8'-0" GROUND ROD AT EACH POLE WITH #6 AWG COPPER GROUND CONNECTION. (SEE DETAILS)
9. PROVIDE SHIMS AS REQUIRED AND SET ALL POLES PLUMB. PROVIDE FULL ANCHOR BOLT COVERS.
10. ALL NO. 6 WIRE AND LARGER SHALL BE TYPE THHN COPPER. NO. 8 WIRE AND SMALLER SHALL BE THWN COPPER.
11. PROVIDE FULL ANCHOR BOLT COVERS.
12. FINISHED MOUNTING HEIGHT FOR LIGHTS SHALL BE 20'.
13. POLES SHALL BE MCGRAW-EDISON "SSP" SQUARE STRAIGHT STEEL.
14. POLE MOUNTED LUMINAIRES SHALL BE MCGRAW-EDISON GSM GALLERY.



FINAL APPROVAL BY THE ROCHESTER PLANNING BOARD:
CERTIFIED BY: _____ DATE _____


MCGRAW-EDISON

DESCRIPTION
The McGraw-Edison fixture is a high quality, durable, and reliable luminaire that is designed to provide long service life and low maintenance costs. It is available in a wide range of sizes and finishes to suit a variety of applications. The McGraw-Edison is a high quality, durable, and reliable luminaire that is designed to provide long service life and low maintenance costs.

Model	Label	Arrangement	Qty
BR-42-100-MP	F	SINGLE	2
MPR-SI-150/ 20' ARG	G	SINGLE	2
MPR-3S-150-MT-HS/ 20' ARG	H	SINGLE	2



CONSTRUCTION
The McGraw-Edison is constructed of die-cast aluminum and is available in a wide range of finishes. It is designed to provide long service life and low maintenance costs. The McGraw-Edison is a high quality, durable, and reliable luminaire that is designed to provide long service life and low maintenance costs.

INSTALLATION
The McGraw-Edison is designed to be installed in a variety of locations. It is available in a wide range of sizes and finishes to suit a variety of applications. The McGraw-Edison is a high quality, durable, and reliable luminaire that is designed to provide long service life and low maintenance costs.



EXFURES F

Lighting Notes:
1. ALL SITEWORK SHALL CONFORM TO CITY OF ROCHESTER STANDARDS AND LOCAL AUTHORITIES HAVING JURISDICTION.
2. ALL MATERIAL WORKMANSHIP SHALL CONFORM TO THE LATEST EDITIONS OF THE NATIONAL ELECTRIC CODE AND ALL OTHER APPLICABLE STATE AND LOCAL CODES.
3. ALL EXTERIOR CONDUITS FOR LIGHTING SHALL BE 2" DIAMETER PVC SCHEDULE 40. ALL ELBOWS SHALL BE GALVANIZED RIGID STEEL.
4. ALL CONDUITS UNDER ROADWAYS AND PARKING AREAS SHALL HAVE MINIMUM COVER OF THREE (3) FEET.
5. ALL UNDERGROUND CONDUITS WILL HAVE NTCN PULL ROPE TO FACILITATE PULLING IN CABLES.
6. ALL EXTERIOR CONDUITS SHALL BE PROVIDED WITH 6" WIDE METALIZED CONTINUOUS WARNING TAPE.
7. PROVIDE FUSING ON ALL LUMINAIRES. FUSES TO BE LOCATED AT POLE HANDHOLE.
8. GROUND ALL POLES. PROVIDE 3/4" X 8'-0" GROUND ROD AT EACH POLE WITH #6 AWG COPPER GROUND CONNECTION. (SEE DETAILS)
9. PROVIDE SHIMS AS REQUIRED AND SET ALL POLES PLUMB. PROVIDE FULL ANCHOR BOLT COVERS.
10. ALL NO. 6 WIRE AND LARGER SHALL BE TYPE THHN COPPER. NO. 8 WIRE AND SMALLER SHALL BE THWN COPPER.
11. PROVIDE FULL ANCHOR BOLT COVERS.
12. FINISHED MOUNTING HEIGHT FOR LIGHTS SHALL BE 20'.
13. POLES SHALL BE MCGRAW-EDISON "SSP" SQUARE STRAIGHT STEEL.
14. POLE MOUNTED LUMINAIRES SHALL BE MCGRAW-EDISON GSM GALLERY.



FINAL APPROVAL BY THE ROCHESTER PLANNING BOARD:
CERTIFIED BY: _____ DATE _____

MCGRAW-EDISON

DESCRIPTION
The McGraw-Edison fixture is a high quality, durable, and reliable luminaire that is designed to provide long service life and low maintenance costs. It is available in a wide range of sizes and finishes to suit a variety of applications. The McGraw-Edison is a high quality, durable, and reliable luminaire that is designed to provide long service life and low maintenance costs.

Model	Label	Arrangement	Qty
BR-42-100-MP	F	SINGLE	2
MPR-SI-150/ 20' ARG	G	SINGLE	2
MPR-3S-150-MT-HS/ 20' ARG	H	SINGLE	2


CONSTRUCTION
The McGraw-Edison is constructed of die-cast aluminum and is available in a wide range of finishes. It is designed to provide long service life and low maintenance costs. The McGraw-Edison is a high quality, durable, and reliable luminaire that is designed to provide long service life and low maintenance costs.

INSTALLATION
The McGraw-Edison is designed to be installed in a variety of locations. It is available in a wide range of sizes and finishes to suit a variety of applications. The McGraw-Edison is a high quality, durable, and reliable luminaire that is designed to provide long service life and low maintenance costs.



EXFURES F

Lighting Notes:
1. ALL SITEWORK SHALL CONFORM TO CITY OF ROCHESTER STANDARDS AND LOCAL AUTHORITIES HAVING JURISDICTION.
2. ALL MATERIAL WORKMANSHIP SHALL CONFORM TO THE LATEST EDITIONS OF THE NATIONAL ELECTRIC CODE AND ALL OTHER APPLICABLE STATE AND LOCAL CODES.
3. ALL EXTERIOR CONDUITS FOR LIGHTING SHALL BE 2" DIAMETER PVC SCHEDULE 40. ALL ELBOWS SHALL BE GALVANIZED RIGID STEEL.
4. ALL CONDUITS UNDER ROADWAYS AND PARKING AREAS SHALL HAVE MINIMUM COVER OF THREE (3) FEET.
5. ALL UNDERGROUND CONDUITS WILL HAVE NTCN PULL ROPE TO FACILITATE PULLING IN CABLES.
6. ALL EXTERIOR CONDUITS SHALL BE PROVIDED WITH 6" WIDE METALIZED CONTINUOUS WARNING TAPE.
7. PROVIDE FUSING ON ALL LUMINAIRES. FUSES TO BE LOCATED AT POLE HANDHOLE.
8. GROUND ALL POLES. PROVIDE 3/4" X 8'-0" GROUND ROD AT EACH POLE WITH #6 AWG COPPER GROUND CONNECTION. (SEE DETAILS)
9. PROVIDE SHIMS AS REQUIRED AND SET ALL POLES PLUMB. PROVIDE FULL ANCHOR BOLT COVERS.
10. ALL NO. 6 WIRE AND LARGER SHALL BE TYPE THHN COPPER. NO. 8 WIRE AND SMALLER SHALL BE THWN COPPER.
11. PROVIDE FULL ANCHOR BOLT COVERS.
12. FINISHED MOUNTING HEIGHT FOR LIGHTS SHALL BE 20'.
13. POLES SHALL BE MCGRAW-EDISON "SSP" SQUARE STRAIGHT STEEL.
14. POLE MOUNTED LUMINAIRES SHALL BE MCGRAW-EDISON GSM GALLERY.



FINAL APPROVAL BY THE ROCHESTER PLANNING BOARD:
CERTIFIED BY: _____ DATE _____

MCGRAW-EDISON

DESCRIPTION
The McGraw-Edison fixture is a high quality, durable, and reliable luminaire that is designed to provide long service life and low maintenance costs. It is available in a wide range of sizes and finishes to suit a variety of applications. The McGraw-Edison is a high quality, durable, and reliable luminaire that is designed to provide long service life and low maintenance costs.

Model	Label	Arrangement	Qty
BR-42-100-MP	F	SINGLE	2
MPR-SI-150/ 20' ARG	G	SINGLE	2
MPR-3S-150-MT-HS/ 20' ARG	H	SINGLE	2

CONSTRUCTION
The McGraw-Edison is constructed of die-cast aluminum and is available in a wide range of finishes. It is designed to provide long service life and low maintenance costs. The McGraw-Edison is a high quality, durable, and reliable luminaire that is designed to provide long service life and low maintenance costs.

INSTALLATION
The McGraw-Edison is designed to be installed in a variety of locations. It is available in a wide range of sizes and finishes to suit a variety of applications. The McGraw-Edison is a high quality, durable, and reliable luminaire that is designed to provide long service life and low maintenance costs.



EXFURES F

Lighting Notes:
1. ALL SITEWORK SHALL CONFORM TO CITY OF ROCHESTER STANDARDS AND LOCAL AUTHORITIES HAVING JURISDICTION.
2. ALL MATERIAL WORKMANSHIP SHALL CONFORM TO THE LATEST EDITIONS OF THE NATIONAL ELECTRIC CODE AND ALL OTHER APPLICABLE STATE AND LOCAL CODES.
3. ALL EXTERIOR CONDUITS FOR LIGHTING SHALL BE 2" DIAMETER PVC SCHEDULE 40. ALL ELBOWS SHALL BE GALVANIZED RIGID STEEL.
4. ALL CONDUITS UNDER ROADWAYS AND PARKING AREAS SHALL HAVE MINIMUM COVER OF THREE (3) FEET.
5. ALL UNDERGROUND CONDUITS WILL HAVE NTCN PULL ROPE TO FACILITATE PULLING IN CABLES.
6. ALL EXTERIOR CONDUITS SHALL BE PROVIDED WITH 6" WIDE METALIZED CONTINUOUS WARNING TAPE.
7. PROVIDE FUSING ON ALL LUMINAIRES. FUSES TO BE LOCATED AT POLE HANDHOLE.
8. GROUND ALL POLES. PROVIDE 3/4" X 8'-0" GROUND ROD AT EACH POLE WITH #6 AWG COPPER GROUND CONNECTION. (SEE DETAILS)
9. PROVIDE SHIMS AS REQUIRED AND SET ALL POLES PLUMB. PROVIDE FULL ANCHOR BOLT COVERS.
10. ALL NO. 6 WIRE AND LARGER SHALL BE TYPE THHN COPPER. NO. 8 WIRE AND SMALLER SHALL BE THWN COPPER.
11. PROVIDE FULL ANCHOR BOLT COVERS.
12. FINISHED MOUNTING HEIGHT FOR LIGHTS SHALL BE 20'.
13. POLES SHALL BE MCGRAW-EDISON "SSP" SQUARE STRAIGHT STEEL.
14. POLE MOUNTED LUMINAIRES SHALL BE MCGRAW-EDISON GSM GALLERY.



FINAL APPROVAL BY THE ROCHESTER PLANNING BOARD:
CERTIFIED BY: _____ DATE _____