

ADDENDUM NO. 1

CITY OF ROCHESTER, NEW HAMPSHIRE

BID #12-44 ROCHESTER OPERA HOUSE BALCONY SEAT REFURBISHING

This addendum amends and/or supplements the bid documents as indicated below. Only these items alter the Bid Documents.

This addendum may also be obtained from City of Rochester's web site: www.rockesternh.net or will be available by request via e-mail at the following address: purchasing@rockesternh.net

Addendum is also available by written requests addressed as follows:

**Bid # 12-44 Rochester Opera House Balcony Seat Refurbishing
City of Rochester, New Hampshire
31 Wakefield St.
Rochester, NH 03867
Attn: Purchasing Agent**

CLARIFICATIONS AS FOLLOWS:

1. **Bid Opening Date**-The bid opening date for the Rochester Opera House Balcony Seat Refurbishing has been changed from May 31, 2012 at 2:45 PM to June 7, 2012 at 2:45 PM. **All bids must be received no later than 2:30 PM on June 7, 2012 for the bid opening of June 7, 2012 at 2:45 PM.**

2. **Description of Work/Scope of Services**-The following is to be added to the description and scope of services for the Rochester Opera House Balcony Seat Refurbishing bid.

All parts will be cleaned by a thermal, abrasive or chemical process to completely remove all old finishes.

Prior to finishing, parts are to be washed in a minimum of a 5 stage washer including

- Alkaline wash at 140 degrees Fahrenheit
- Rinse
- Phosphate conversion coat
- Rinse
- Final Seal

A powder coat finish will be applied electrostatically and cured in a gas oven at 350 degrees for a minimum of 20 minutes

The final coating will meet the following requirements:

- Dry film thickness 2-3 mils
- Eagle Turquoise II 2H pencil hardness
- Abrasion resistance less than 60 mg weight loss
- Meet adhesion requirement per cross hatch method D-3359-87
- The work shall be completed by September 28, 2012